

# **COOL**vantage

with ONE



**Ensuring Freshness on Delivery** 

# ONE Is A Global Reefer Carrier

ONE emerged from the legacy of three leading Japanese liner companies, namely MOL, NYK and 'K' Line. These companies pride themselves on their service-oriented culture which is now embedded in ONE's DNA.

The integration allowed ONE to inherit the three top liners' combined fleet of reefer containers making it one of the top 5 reefer carriers in the world (over 300,000 TEU) and also giving it a strong market presence in


major reefer markets such as North and South Americas, South Africa, Europe, the Mediterranean, Intra-Asia and Oceania.

ONE's overall fleet size based on capacity is now 1,500,000 TEU, making ONE the 7<sup>th</sup> largest container shipping company in the world (as of September 2022) with 6% global market share. ONE commands a fleet of more than 200 vessels, such as the world's largest 20,000 TEU container-ships. They will carry your cargo in a global network that reaches more than 110 countries.



## **Worldwide Network**

ONE has diversified market coverage with a strong focus on schedule integrity and a reputation of on-time performance, all of which are critical to the transportation of refrigerated cargo.



#### The Holding Company

▶ **●** Japan

#### **Operating Company**

**▶** Singapore

#### **Regional Headquarters**

- ► Mong Kong
- **▶** United States of America

#### **▶** Singapore

**▶** United Kingdom



4

# **Experienced Leader In Perishable Reefer Market**

- Combined experience of 3 legacy Japanese shipping companies with strong reputation and experience in shipping perishable cargo
- Young and state of the art energy efficient reefer fleet of more than 300,000 TEU ranks us among the top 3 Reefer carriers in the world. ONE also has one of the largest fleets of controlled atmosphere containers; which further enhance the effective of refrigeration system on the shelf life of frozen fish, fruits and vegetables.
- Dedicated global reefer teams, and regional sales and customer service and support groups around the world.



Canada East coast / Halifax : Lobster, Shrimp, Frozen Fish

Canada West Coast / Vancouver : Chilled and Frozen Pork

Los Angles: Frozen Beef / Pork, Chilled Beef / Pork, Grapes, Vegetables

Oakland: Frozen Beef / Pork, Chilled Beef / Pork

Seattle / Tacoma : Apple, Pears, Frozen Salmon

USEC / Jacksonville : Citrus,

Savannah, Charleston: Poultry, Pork, Beef,

South America West coast / Peru: Avocado, Grapes,

Ecuador: Banana

Chile: Fish, Avocado, Grapes, Cherry

South America East Coast / Brazil, Argentina: Beef, Poultry, Apple. Juice Concentrate

EUR (cluster as North Europe ports such as Hamburg/Rotterdam) :

Frozen meat, Dairy, Confectionary, Pharma

South Europe / Spain, Italy: Pork, Food stuff, Citrus, Fish

**South Africa / Cape Town, Durban :** Grapes, Apple, Pears, Citrus, Fish

Few Asian countries / West India: Frozen Beef, Grapes,
Thailand: Shrimp, Durian Vietnam: Shrimp, Frozen Fish,
Dragon Fruit Indonesia: Shrimp, Frozen Fish

North / Central China: Fish, Garlic, Ginger, Apple, Vegetable

**South China :** Citrus, Vegetable

Oceania, Australia / Brisbane : Beef, Citrus, Melbourne, Sydney,

Adelaide: Meat, Dairy,

Western Australia: Vegetable, Wine

**New Zealand :** Avocado, Kiwi Fruit, Beef, Mutton/ Lamb

# High Quality Service



ONE's Global Reefer Business planning team, which is based at ONE's HQ in Singapore, develops ONE's global reefer marketing and business strategy through close monitoring of market demand and closely collaborating with the regional reefer steering desks located in different parts of the world. Our reefer experts in regional offices work closely with Global Reefer Business planning team to offer customized reefer solutions to our esteemed customers. ONE has also established a dedicated and experienced global reefer technical team in ONE HQ in Singapore to provide round the clock technical assistance to reefer shipments as and when required.

Ocean Network Express Pte. Ltd.

## **Modern And Well-Maintained Reefer Fleet**









**OCEAN NETWO** 

With a reefer container fleet over 300,000 TEU, ONE has one of the largest and youngest reefer fleet in the world, equipped with the most advanced technologies designed to handle perishable cargo.

ONE reefer containers are maintained in tip-top condition to comply with the International Safety Management standards (ISM). Pre-trip inspections are mandatory under ONE's Global M&R Policy to ensure that our reefer containers are in good condition. Our reefer containers have precise temperature control with maximum variation of 0.5 °C for chilled products and 1 °C for frozen products. Temperatures can be adjusted on the spot or programmed in advance.

ONE reefer containers are also equipped with state of the art technologies including humidity control, controlled atmosphere (CA), cold treatment (CT) and bulb mode (flower bulb shipment).

A reefer technical team is available onboard and onshore to provide round the clock assistance when required. ONE reefer experts (onboard and onshore technical team) monitor the performance of our reefer containers during the whole voyage to ensure they are functioning as per the set parameters (Supply/Return air temperature, humidity level, USDA probe temperatures etc).

8

# **Environmentally Conscious**

ONE recognizes the business value of positive environmental practices in a globally changing regulatory landscape and providing ocean transport services that have a low environmental burden for our customers. As such, we commit to using best industry practices and accelerating our environmental response with new technologies. Carbon dioxide (CO2) emissions from shipping currently represent around 3% of the total global greenhouse gas (GHG) emissions annually. The industry as a whole contributes

to poor air quality through emissions of nitrogen oxides (NOx), sulphur oxides (SOx) and particulate matter (PM). Reducing our GHG emissions along with other air emissions is ONE's priority and an integral part of our operations. In compliance with our proactive environmental protection policy, our state-of-the-art fleet reduces carbon (CO2) emissions. All coolant used in our reefer containers are also CFCfree.



## **Unit Specifications**

20 - foot refrigerated container

| Sample Specification |  |                         |
|----------------------|--|-------------------------|
| Exterior             | Length (mm)<br>Width (mm)<br>Height (mm) | 6,058<br>2,438<br>2,591 |
| Interior             | Length (mm)<br>Width (mm)<br>Height (mm) | 5,456<br>2,288<br>2,263 |
| Internal Capacity    | (m³)                                     | 28.2                    |
| Doorway              | Width (mm)<br>Height (mm)                | 2,290<br>2,221          |
| Tare Weight          | (kgs)                                    | 2,910                   |
| Maximum Payload      | (kgs)                                    | 27,570                  |
| Gross Weight         | (kgs)                                    | 30,480                  |

**40** - foot high-cube refrigerated container

| Sample Specification |  |                          |
|----------------------|--|--------------------------|
| Exterior             | Length (mm)<br>Width (mm)<br>Height (mm) | 12,192<br>2,438<br>2,896 |
| Interior             | Length (mm)<br>Width (mm)<br>Height (mm) | 11,590<br>2,284<br>2,544 |
| Internal Capacity    | (m <sup>3</sup> )                        | 67.5                     |
| Doorway              | Width (mm)<br>Height (mm)                | 2,290<br>2,502           |
| Tare Weight          | (kgs)                                    | 4,520                    |
| Maximum Payload      | (kgs)                                    | 29,480                   |
| <b>Gross Weight</b>  | (kgs)                                    | 34,000                   |

The above dimensions serve as samples only while actual container dimensions vary with different specifications

## **Key Technical Specifications**

| Key Features  |  |  |
|---|--|--|
| TEMPRATURE RANGE  | Normal Reefer: +30 Degree C to -30 Degree C. PRIMELINE and MAGNUM PLUS- +35 Degree C to -35 Degree C |  |
| VENTILLATION RANGE  | 0 TO 285 CBM/H   |  |
| OPERATING VOLTAGE   | 360-500 VOLTS/ 50-60 HERTZ   |  |
| DEHUMIDIFICATION  | 95% to 65%   |  |
| REEFER MACHINE EQUIPPED WITH ADVANCED TECHNOLOGY FOR FAST COOL DOWN |  |  |
| SUPERIOR INSULATION TO MINIMIZE HEAT LEAKAGE                        |  |  |

COOLvantage with ONE



## **Light-Chilled**

**Temperature to Reduce** Deterioration

+5°C to +25°C









20°C

5°C 0°C -5°C

-30°C

COOLvantage with ONE

## **Partial-Frozen**

**Partially Frozen** 

-3°C to -10°C



## **Chilled**

**Lowest Temperature Above Freezing** 

-3°C to +5°C







Fruits Vegetables Chilled Meat

#### Frozen

**Completely Frozen** 

-10°C and below







Fish



Figure 1. Perishable products require a specific storage temperature to preserve the quality.



# ONE's Modern Reefer Fleet Features

### **Dehumidification**

Dehumidification control lowers the relative humidity in a container during transportation. It is especially required for the transportation of items like bulbs to ensure dry packaging, prevent rot and reduce fungal development.

It is necessary to lower the humidity because when higher levels of moisture are recorded in the surroundings, the bulbs may sprout early which can lead to mould.

ONE reefer containers are capable of controlling the humidity within the range of 95% to 65%.

## **Enhanced Atmosphere**

Ozone Enhanced Atmosphere is the active introduction of ozone into the internal atmosphere of the container to preserve the cargo. Regulated amounts of ozone are released throughout the voyage which decomposes the ethylene generated by the climacteric fruit and vegetables as they ripen and slowly decay.

# **Controlled Atmosphere (CA)**

CA is a technology that extends the storage period of fruits and vegetables by adjusting the oxygen and carbon dioxide concentrations inside the hold.

Depending on the type of vegetables and fruits, there should be a suitable balance of oxygen and carbon dioxide concentration. By keeping the concentration balanced during the transportation period, the quality of the cargo is maintained.

### **Cold Treatment (CT)**

In cold treatment, an uninterrupted and sufficiently low temperature is maintained for a pre-determined duration in order to kill any insects and larvae that may be hidden in perishable goods. Temperature probes are also installed and connected to the reefer unit controller. They measure and record the internal temperature of the cargo at specific locations inside the reefer container.



## **Pre-Loading Guideline**

### **Before Loading Checklist**

- Inspect the reefer container to ensure equipment is in good condition.
- Check and clean T-floor to ensure air channel is clear from the panel to the door.
- Pre-treat the products.
- Pre-cool the products to carriage temperature range.
   Note: hot stuffing may damage both the equipment and cargo itself.
- Do not pre-cool the container, except when goods are being loaded at a cold facility where there is a sealed connection to the container loading bay.
- While reefer cargo is generally classified according to the storage temperature as shown in figure 1 on P10, specific reefer set-points vary according to the exact cargo commodity type.

# **Keeping Cargo Cool**



Chilled cargo is highly perishable premium food which can gradually ripen during shipment. In this illustration, the degree of air flow through the cargo is largely dependent upon the stuffing pattern at the door.



If frozen cargo is pre-cooled to the correct carrying temperature, it is only necessary for air to circulate around the periphery of the load. A block stow, i.e., one that has no deliberate spacing between any of the packages or pallets, is all that is required. However, it is necessary to ensure that air can circulate under, over and to each side and end of the stow.

Ocean Network Express Pte. Ltd.

# **Chilled Cargo Stowage**

- The key is to allow proper air circulation and flow-through so that heat, vapour, CO2, and other gasses produced by the respiration process from chilled perishable products can be removed.
- Proper packaging such as packaging style and package material is necessary to support stacking weight and sustainability at various humidity levels.
- Any packaging accessory like shrink-wrap, slip sheets, foam trays and plastic bags which can block or obstruct air passage should not be used.
- Proper air passage on the package, including proper size/number/places of ventholes on cartons, is needed to allow refrigerated air to circulate through all the cargo in the container.
- Proper stuffing is required to allow refrigerated air to circulate through the package material and throughout the entire load.
- If the cargo cannot cover an entire floor, cardboard can be used to cover empty spaces to allow for smooth refrigerated airflow.
- There must be no stowage above the indicated red line on the container walls to avoid impeding return air flow.



# Frozen Cargo Stowage

- As the frozen cargo should have been appropriately pre-cooled to the desired temperature before loading, air circulation should be aimed at blocking and preventing heat penetration from outside the container.
- The entire floor should be evenly loaded and covered.
- Proper corner support of cartons or pallets is needed due to the weight and loading pressure.
- Stowage must be kept below the red-line to avoid air circulation blockage. The key is to allow air circulation around the cargo.
- Ventilation and dehumidification must be set to "Off". Drain port must be "Closed".
- Solid block stowage, leaving no space between the packages or cartons, is preferred to avoid hot pot or short-circuiting.







2. Provide a detailed description of the product being shipped, including commodity name, quantity, weight, cubic measurement, and type of packaging like boxes, drums and pallets.



**3.** Specify preferred equipment size: 20' or 40'HC.



4. Highlight preferred temperature settings in °F or °C.



5. Specify fresh-air exchange requirements in CFM or CMH.



6. Indicate modified or controlled atmosphere requirement: Gas composition (O<sub>2</sub> and CO<sub>2</sub> in %), type of scrubber, if required



7. Indicate shipment availability date at origin and required delivery date at destination.



8. Specify special handling requirements (for example, Genset, dehumidification percentage level and Cold Treatment).



9. Provide any documentation requirement, including legal requirements.



10. Inform booking office if container pre-cooling is required.





## **ONE Keeps Cargo Fresh**

ONE has the expertise to provide tailor-made solutions for your reefer cargo. Please contact your local ONE sales representative for more information.





#### **GLOBAL HEADQUARTERS**

#### Ocean Network Express Pte. Ltd.

7 Straits View, #16-01 Marina One East Tower, Singapore 018936

#### **REGIONAL HEADQUARTERS**

#### Ocean Network Express Pte. Ltd.

460 Alexandra Road, mTower #38-01, Singapore 119963

#### Ocean Network Express (East Asia) Ltd.

10th Floor, Tower 5, The Gateway, Harbour City, Tsim Sha Tsui, Kowloon, Hong Kong, China

#### Ocean Network Express (Europe) Ltd.

6th Floor, 20 Churchill Place, London, E14 5GY

#### Ocean Network Express (North America) Inc.

8730 Stony Point Parkway, Suite 400, Richmond, VA 23235, USA

#### Ocean Network Express (Latin America) Ltda.

Av. Paulista, 283 – 8° andar, CEP: 01311-000, São Paulo – São Paulo (SP) – Brasil